




## Syvecs Updater

The S6Plus, S7Plus and Tiny Can Bridge V2 can be updated via a Micro Usb connection for updates and improvements for Syvecs PNP Kits, please download the Syvecs updater from our website as shown below.


<http://www.syvecs.co.uk/support/downloads/>



Run the SyvecsSetup100\_full.exe and follow the onscreen instructions



Next Run the SyvecsUpdater.exe



Select in the files to upload here ... then plug in the MicroUSB cable into the PC and then plug the USB into the S6Plus/S7Plus Ecu or Can Bridge.

Can Bridge V2




S6Plus/S7Plus




If updating a Can Bridge V2 or S7Plus you only need to plug in the USB to the computer. No need to power the Ecu with 12v supply. Click Upload to load the Kit update.

If its a S6Plus, power up the ECU and wait 10 Seconds then Click Upload.



If the success! message doesn't appear then check the Flash Updater driver is installed in Device Manager on the computer.

Windows 10 or newer sometimes will assign the driver to a Stellaris Device Firmware Upgrade. You need to Right click on this and click Uninstall, tick the option to remove driver completely if option is given. After unplug the device and back in again which should allow the correct driver to install and update correctly



Any Problems email - [Support@syvecs.com](mailto:Support@syvecs.com)